



ES-LS Cart Series



WWW.GOKARTS-ATVS.COM

Colors



Forest Green



Ivory White



Apple red



Black



Blue



Grey

Standard Seats Color


Agate red



Cayenne brown



Classic black




Audi grey



Corolla rice



Jazz coffee



New Design Excellent Performance



New Design Multi Functional Dashboard



Premium Comfort Suspension
Independent Front
Suspension with Double Arm



Four Wheel Brake
Disc both Hydraulic &
Electronic Brake




Premium Comfort Seats



Premium Sound Speaker
HIFI Speaker Ip66



Water & Rust Proof
Aluminium Alloy Floor







More Comfort Suspension
Integral rear axle







Cart Lifted Base & Golf Cart Normal Base



Specification

ES-L Lifted Model		ES-L2	ES-L2+2	ES-L4	ES-L4+2
					
Acid Battery	Lithium Battery				
48V5KW	72V5KW				
STD		Specification			
Dynamic System	Dynamic System	Size Overall			
Motor: KDS 48V AC motor Power: 5KW Electrical System:48V Battery: Shengyang 6 pcs 6x8V Lead Acid Charger: Intelligent, 48V/18A, charging time < 8hours (discharging rete 80%) Controller: BORCART48V350A DC-DC-DC 48V/12V-300W	Motor: KDS 72V AC motor Power: 5KW Electrical System:72V Battery: Guosheng 72V120A Lithium Charger: Intelligent, 72V17A, charging time < 8hours (discharging rate 80%) Controller: BORCART72V350A DC-DC-DC 72V/12V-300W	2520*1340*2000mm	2950*1340*2000mm	3265*1340*2000mm	3695*1340*2000mm
Net Weight					
		≤550kg	≤610kg	≤590kg	≤650kg
No.of Passengers					
		2 Passenger	2+2 Passenger	4 Passenger	4+2 Passenger
Wheel Axle distance					
		1708mm	1708mm	2108mm	2108mm
		wheel dis Front/rear	Front1020mm/rear1070mm		
		Ground Clearance		185mm	
Comfortable Performance		Min Turing Radius	3.5m		
<ul style="list-style-type: none"> ★ HASDA IP66 waterproof advanced multimedia combination LCD screen with vehicle status information; ★ HASDA IP66 full range hifi speaker H058 ★ Comfortable seats : integral foam cushion+solid high-grade leather ★High-strength aluminum alloy anti-skid floor, corrosion resistance and aging resistance 		Max Speed	25MPH		
		Climb Performance	25%		
		Slope Performance	25%		
		Battery life	50-80mile (Normal road)		
		Brake distance	<6m		
Suspension & Brake Performance					
<ul style="list-style-type: none"> ★Front suspension: Macpherson Independent Suspension. ★Rear suspension: Integral rear axle. Speed ratio 16:1 Spring plate and Hydraulic Shock ★Braking system: rear axle,4wheel hydraulic brake, 4wheel disc brake + electronic brake parking ★Turnign system: Bi-directional rack and pinion steering system, Automatic backlash compensation. ★Frame: High-strength metal trapezoidal frame (electrophoresis + high gloss). 					
Factory Installed Accessories					
Ceiling	Square tube frame Coating + PP injection molding one-piece				
Wind screen	DOT certified foldable glass				
Safety Belt	DOT certified safety belts				
Body	The front cover, seat barrel, body and rear cover are molded by special injection material for automobiles;				
Floor	Aluminum alloy profile anti-slip floor, high-strength, corrosion resistance, aging resistance.				
Dash board	Plastic-molded instrument panel, OP66 waterproof , water cup holder; 12V power supply, USB+Type-c fast charge.				
LCD Screen	HASDA IP66, 5 inch LCD , Multimedia instrument, with vehicle detection				
Speaker system	HASDA IP66 full range speaker H058				
Seats	Overall foam molding seat cushion; solid color leather; rear basket (including: ball bag bracket)				
Hub	12 inch Hub aluminum Dim 580mm				
Tire	DOTcertification; full ground 23*10.5-12 (4 Ply Rated)/Tire				
Rear Mirror	Adjustable, foldable rear view mirror				
LED and alarm Signal	Front multi functional LED light Rear multi functional LED light				
Color of Body	Standard (Forest Green, Ivory, White, Gold, Electric Blue, Apple red,black, Grey)				

ES-C Club Car Model		ES-C2	ES-C2+2	ES-C4	ES-C4+2
					
Acid Battery	Lithium Battery				
48V5KW	72V5KW				
STD		Specification			
Dynamic System	Dynamic System	Size Overall			
Motor: KDS 48V AC motor Power: 5KW Electrical System:48V Battery: Shengyang 6 pcs 6x8V Lead Acid Charger: Intelligent, 48V/18A, charging time < 8hours (discharging rete 80%) Controller: BORCART48V350A DC-DC-DC 48V/12V-300W	Motor: KDS 72V AC motor Power: 5KW Electrical System:72V Battery: Guosheng 72V120A Lithium Charger: Intelligent, 72V17A, charging time < 8hours (discharging rate 80%) Controller: BORCART72V350A DC-DC-DC 72V/12V-300W	2520*1340*1820mm	2950*1340*1820mm	3265*1340*1820mm	3695*1340*1820mm
Net Weight					
		≤525kg	≤585kg	≤565kg	≤625kg
No.of Passengers					
		2 Passenger	2+2 Passenger	4 Passenger	4+2 Passenger
Wheel Axle distance					
		1670mm	1670mm	2070mm	2070mm
		wheel dis Front/rear	Front905mm/rear1000mm		
		Ground Clearance		185mm	
Comfortable Performance		Min Turing Radius	3.5m		
<ul style="list-style-type: none"> ★ HASDA IP66 waterproof advanced multimedia combination LCD screen with vehicle status information; ★ HASDA IP66 full range hifi speaker H058 ★ Comfortable seats : integral foam cushion+solid high-grade leather ★High-strength aluminum alloy anti-skid floor, corrosion resistance and aging resistance 		Max Speed	25MPH		
		Climb Performance	25%		
		Slope Performance	25%		
		Battery life	50-80mile (Normal road)		
		Brake distance	<6m		
Suspension & Brake Performance					
<ul style="list-style-type: none"> ★Front suspension: Macpherson Independent Suspension. ★Rear suspension: Integral rear axle. Speed ratio 16:1 Spring plate and Hydraulic Shock ★Braking system: rear axle,4wheel hydraulic brake, 4wheel disc brake + electronic brake parking ★Turnign system: Bi-directional rack and pinion steering system, Automatic backlash compensation. ★Frame: High-strength metal trapezoidal frame (electrophoresis + high gloss). 					
Factory Installed Accessories					
Ceiling	Square tube frame Coating + PP injection molding one-piece				
Wind screen	DOT certified foldable glass				
Safety Belt	DOT certified safety belts				
Body	The front cover, seat barrel, body and rear cover are molded by special injection material for automobiles;				
Floor	Aluminum alloy profile anti-slip floor, high-strength, corrosion resistance, aging resistance.				
Dash board	Plastic-molded instrument panel, OP66 waterproof , water cup holder; 12V power supply, USB+Type-c fast charge.				
LCD Screen	HASDA IP66, 5 inch LCD , Multimedia instrument, with vehicle detection				
Speaker system	HASDA IP66 full range speaker H058				
Seats	Overall foam molding seat cushion; solid color leather; rear basket (including: ball bag bracket)				
Hub	10 inch Hub aluminum Dim 498mm				
Tire	DOTcertification; full ground 23*10.5-12 (4 Ply Rated)/Tire				
Rear Mirror	Adjustable, foldable rear view mirror				
LED and alarm Signal	Front multi functional LED light Rear multi functional LED light				
Color of Body	Standard (Forest Green, Ivory, White, Gold, Electric Blue, Apple red,black, Grey)				

ES Series Carts Color Palette

COLOR'S Of ES-C2 GOLF CAR 2 PASSENGER

COLOR:



Blue



OTHER COLORS:



Grey



Red



White

COLOR'S Of ES-C2+2 GOLF CAR 2+2 PASSENGER

COLOR:



Blue



OTHER COLORS:



Grey



Red



Black

ES Series Carts Color Palette

COLOR'S Of ES-L2 LIFTED PERSONAL CAR

COLOR:



Green



OTHER COLORS:



White



Black



Red



Blue



Silver

COLOR'S Of ES-L2+2 LIFTED PERSONAL CAR

COLOR:



Black



OTHER COLORS:



White



Green



Red



Blue



Gray

ES Series Carts Color Palette

COLOR'S Of
ES-L4 LIFTED PERSONAL CAR
VS
ES-L4+2 LIFTED PERSONAL CAR

COLOR:



Gray



OTHER COLORS:



White



Black



Red



Blue



Green

COLOR'S Of
ES-C4 GOLF CAR 4 PASSENGER
VS
ES-C4+2 GOLF CAR 4+2 PASSENGER

COLOR:



Red



OTHER COLORS:



Grey



White



Black